

PAPERS & ABSTRACTS

Segmental Anterior Support of the Spine with Moss Cages in the Dwyer Anterior Instrumentation. A New Technique.

S. Sakka, **P. Foguet**, D. Marks, A. Thompson. **JBJS B**, Orthopaedic Proceedings, page 205, Vol 81-B, 1998.

Does Clinical Impairment Increase with Neurophysiological Severity in Carpal Tunnel Syndrome (CTS)?

S. Miranda, E. Mughal, **P. Foguet**, S. Isopescu, P. Pynsent, M A C Craigen. Presented in the 8th Congress of the FESHH, Amsterdam, May 2002. **The J of Hand Surg** Vol 27 B Suppl 1.

Osteolysis Around a Titanium Femoral Nail (case report).

P. Foguet, F. Hashmi, T. Lawrence. **Injury** 2003 May; 34 (5): 374-377.

Can we prevent Fractures in Hip Resurfacing ?

A Pearson, **P Foguet**, C Little, D Murray, P McLardy-Smith, S Krikler. **JBJS B**, Orthopaedic Proceedings, page 41, Vol 87-B, 2005.

Infantile Scoliosis in Beals Syndrome, The use of a non-fusion Technique for Surgical Correction

AG Martin, **PR Foguet**, DS Marks, AG Thompson, AH Child. **The European Spine Journal** 2006 April; 15(4): 433-439

Evaluation multicentrique a 10 ans de la prothese de resurfacage Cormet

R. Spencer, M. Bishay, S. Krikler. U Prakash, **P Foguet**, D. Griffin, D. Pring, M. Norton, R. Nelson. **Revue de Chirurgie Orthopedique Et Reparatrice De L'Appareil Moteur**, 1, 2007; (7) 52- 52.

10 year multi-center evaluation of the Cormet hip resurfacing arthroplasty.

R. Spencer, M. Bishay, S. Krikler. U Prakash, **P Foguet**, D. Griffin, D. Pring, M. Norton, R. Nelson. **JBJS B**, 2008 vol 90-B; supp III 531.

The blood flow to the femoral head/neck junction during resurfacing arthroplasty: a comparison of two approaches using Laser Doppler Flowmetry

Amarasekera HW, Costa ML, **Foguet P**, Krikler SJ, Prakash U, Griffin DR. **JBJS B** 2008 Apr; 90(4):442-5.

Comparison of cup sizes between uncemented hips and resurfacing arthroplasty

M. Costa, U. Prakash, and **P. Foguet**. **JBJS B**, Orthopaedic Proceedings, Mar 2009; 91-B: 15.

Femoral blood flow during hip resurfacing arthroplasty: a comparison of two approaches using laser Doppler flow measurement

M. Costa, H. Amarasekera, U. Prakash, **P. Foguet**, S. Krikler, and D. Griffin. **JBJS B**, Orthopaedic Proceedings, Mar 2009; 91-B: 16.

10 year multi-center evaluation of the Cormet hip resurfacing arthroplasty.
R. Spencer, M. Bishay, **P. Foguet**, D. Griffin, S. Krikler, R. Nelson, M. Norton, U. Prakash, and D. Pring. **JBJS B**, Orthopaedic Proceedings, Mar 2009; 91-B: 25.

Femoral Neck Fractures after Hip Resurfacing

RT Steffen, **P Foguet**, P McLardy-Smith, S Krikler, R Gundle, DW Murray
Journal of Arthroplasty 2009 June; 24 (4): 614-619

Narrowing of the femoral neck after resurfacing arthroplasty of the hip: a comparison of cemented and uncemented femoral components

Kevin Ho, James Beazley, Nick Parsons, Matthew Costa, **Pedro Foguet**
Hip International 2010 December 14; 20 (4): 542-46

Changing prophylactic antibiotic protocol for reducing Clostridium Difficile-associated diarrhoeal infections

Waleed Al-Obaydi, Chris Smith, **P Foguet**
J Orthop Surg (Hong Kong). 2010 Dec; 18(3):320-3

The incidence of Clostridium Difficile and wound infections related to two antibiotic prophylaxis regimes for metalwork implantation in Trauma and Orthopaedic surgery.

Waleed Al-Obaydi, Chris Smith, **P Foguet**.
JBJS B Orthopaedic Proceedings, May 2011; 93-B: 197

The effect of surgical approach in narrowing of the femoral neck in uncemented hip resurfacing arthroplasty: Ganz versus the posterior approach

Harpal Uppal, Gurdip Chahal, **Pedro Foguet**, Udai Prakash, Panayiotis Makrides.
JBJS B Orthopaedic Proceedings, May 2011; 93-B: 205

Total hip replacement in an adolescent patient with Harlequin's Ichtyosis. A case report

J Beazley, K Ho, A Ilchyshyn, **P Foguet**
Hip International, *Hip Int.* 2011 Jul-Aug; 21(4):487-9

Metal-on-metal hip resurfacing with uncemented fixation of the femoral component. A minimum of 2 years follow up.

P Hull, J Baxter, C Lewis, G Kordas, **P Foguet**, U Prakash
Hip International, *Hip Int.* 2011 Jul-Aug;21(4):475-8

Femoral neck narrowing following hip resurfacing using posterior and Ganz approaches at two years

Deans VM, Ho KW, Prakash U, Parsons N, Griffin DR, **Foguet P**
Hip International, *Hip Int.* 2011 Sep;21(5):596-601

Groin pain following hip resurfacing. A case control study

McArthur JR, Costa M, Griffin DR, Krikler SJ, Parsons N, **Foguet PR**
Hip International, *Hip Int.* 2011 Sep;21(5):602-9

The diagnostic accuracy of magnetic resonance imaging and ultrasonography in gluteal tendon tears - a systematic review.

Westacott DJ, Minns JI, Foguet P

Hip International, Hip Int. 2011 Nov-Dec;21(6):637-45.

Blood metal ion levels predict local soft tissue abnormalities in painful hip resurfacings

McArthur JR, Costa M, Griffin DR, Krikler SJ, Parsons N, Pereira GT, Prakash U, Rai S and Foguet P

JBJS B Orthopaedic Proceedings, November 2011; 93-B: 546

Setting up a “virtual” arthroplasty surveillance plan in the modern NHS: problems, pitfalls and persistence

Hugill L, Foguet P, Costa ML

JBJS B 2012 94-B:(SUPP IX) 72.

Total hip arthroplasty versus resurfacing arthroplasty in the treatment of patients with arthritis of the hip joint: single centre, parallel group, assessor blinded, randomised controlled trial.

Costa ML, Achten J, Parsons NR, Edlin RP, Foguet P, Prakash U, Griffin DR

BMJ. 2012 Apr.

Uncemented components in hip resurfacing may decrease complication rates.

Baraza N, Beazley J, Ho K, Foguet P

JBJS B 2012 94-B:(SUPP XIII) 1.

Total hip arthroplasty versus resurfacing arthroplasty in the treatment of patients with arthritis of the hip joint: single centre, parallel group, assessor blinded, randomised controlled trial. Authors' reply to Oussedik and colleagues

Costa ML, Achten J, Parsons NR, Edlin RP, Foguet P, Prakash U, Griffin DR

BMJ. 2012 May.

Consenting in hip fracture operations: are we up to standard?

Jordan, Smith, McArthur, Foguet

JBJS B 2012 94-B (SUPP XXXIV) 35

Postoperative urinary retention following lower limb arthroplasty: does the choice of intraoperative anaesthetic/ analgesic combination pose an unnecessary risk?

Fernandez, Karthikeyan, Wyse, Foguet

JBJS B 2012 94-B (SUPP XXXIV) 36

Functional outcome of revised metal-on-metal hip resurfacing arthroplasty

JC Beazley, P Foguet, U Prakash, J Baxter, S Krikler.

JBJS B 2012 94-B: (SUPP XXXVII)

Assessment of cup orientation in hip resurfacing: a comparison of TraumaCAD and Computed Tomography

Westacott, McArthur, King and Foguet

Bone Joint J 2013 95-B; (SUPP XII) 39

Assessment of cup orientation in hip resurfacing: a comparison of Traumacad and computed tomography

Westacott, McArthur, King, Foguet

J Orthop Surg & Research 8 (1); 8. April 2013

A comparison of complications requiring return to theatre in hip and knee arthroplasty patients taking Enoxaparin versus Ribaroxaban for tromboprophylaxis

Chahal G, Saithna A, Brewster M, Gilbody J, Lever S, Khan W, Foguet P

Ortop Traumatol Rehabil. 2013 Apr 30; 125-30

A systematic review of the evidence for single stage and two stage revision of infected knee replacement.

Masters JP, Smith NA, Foguet P, Reed M, Parsons H, Sprowson AP.

BMC Musculoskelet Disord. 2013 Jul 29;14:222.

Sensitivities, Specificities, and predictive Values of Microbiological Culture Techniques for the Diagnosis of Prosthetic Joint Infection

Jordan RW, Smith NA, Saithna A, Sprowson AP, Foguet P

BioMed Research International. 2014. Volume 2014, Article ID 180416, 5 pages

A case series of 35 revisions for adverse reactions to metal debris following Cormet hip resurfacing

Norris RJ, McArthur J, Parsons H, Smith NA, Sprowson AP, Foguet P

Hip International 2014, Dec; 24(6): 575-81

The incidence of post-operative urinary retention in patients undergoing elective hip and knee arthroplasty

Fernandez M, Karthikeyan S, Wyse M, Foguet P

Ann R Coll Surg Eng. 2014 Sep; 96(6):462-5

La premiere experience des PTH avec la tigne courte Profemur Preserve et col modulaire chez les patients jeunes et actifs

Pardubsky R, Sprowson A, Sarantos K, Foguet P

Revue de Chirurgie Orthopedique et Traumatologique. Vol 100- No75. P. S285.

Nov 2014

Does intraoperative tissue sample enrichment help or hinder the identification of microorganisms in prosthetic joint infection?

Jordan RW, Saithna A, Smith NA, Norris RJ, Sprowson AP, Foguet P

Eur J Orthop Surg Traumatol. 2015 May (4) 731-36

The Promising Role of Dynamic 18F-NaF PET-CT in Diagnosing Symptomatic Joint Prostheses

Adesanya O, Foguet P, Hutchinson C **Integrative Biomed Sci,** 1(2): 64-69 (2015)

doi: 10.18314/gjbs.v1i2.40

MiniHip arthroplasty: A review of clinical outcomes at a UK centre

Goswami K, Howard D, Harvey K, Masters J, Hill C, King R, Cronin M, Prakash U, Krikler SJ, Foguet P **Hip International**, Sep 16, Vol.26. Suppl 2.

Investigation of Taper Failure in a Contemporary Metal-on-Metal Hip Arthroplasty System Through Examination of Unused and Explanted Prosthesis

Langdon D, Ahmed I, Avery P, Bone M, Cooke N, Deehan D, Duffy D, Foguet P et al **J Bone Joint Surg Am.** 2017 Mar 1; 99 (5): 427-36